

Form - IV  
(See rule 13)  
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBMWTF)]

Sl. No	Particulars		
1	Particulars of the Occupier (i) Name of the authorised person (occupier or operator of facility) (ii) Name of HCF or CBMWTF (iii) Address for Correspondence (iv) Address of Facility (v) Tel. No, Fax. No (vi) E-mail ID (vii) URL of Website (viii) GPS coordinates of HCF or CBMWTF (ix) Ownership of HCF or CBMWTF	NATIONAL HOSPITAL Dr. Sharadkumar Sigt NATIONAL HOSPITAL Airport Road Kevra Pagh-Jamnagar — Do — 9169469469 national Jamnagar.com — —	
		(State Government or Private or Semi Govt. or any other)	Authorisation No.
			valid up to:
			Valid up to:
2	Type of Health Care Facility		
	(i) Bedded Hospital	No. of Beds... 18 beds.	
	(ii) Non-bedded hospital  (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	HOSPITAL	
	(iii) License number and its date of expiry	DRA/CGR/CMO-1/2020/57 31.10.2021	
3	Details of CBMWTF		
	(i) Number healthcare facilities covered by CBMWTF		
	(ii) No. of beds covered by CBMWTF		
	(iii) Installed treatment and disposal capacity of CBMWTF;	15kg Kg per day	

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF		Kg/day					
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)		Yellow Category 9068 Red Category 16041 White 6.661 Blue Category 1.111 General Solid waste 125.64					
5	Details of the Storage, treatment, transportation, processing and Disposal Facility							
	(i) Details of the on-site storage facility	Size						
	(ii) Details of the treatment or disposal facilities	Type of treatment equipment	No of unit	Cap acit y	Quantity treated per day	Capacity	Provision of on-site storage (cold storage or any other provision)	(cold storage or any other provision)
		Incinerators						
		Plasma Pyrolysis						
		<input checked="" type="checkbox"/> Autoclaves						
		<input checked="" type="checkbox"/> Microwave						
		Hydroclave						
		Shredder						
		<input checked="" type="checkbox"/> Needle tip cutter or destroyer						
		Sharps						
		encapsulation or concrete pit						
		Deep burial pits						
		<input checked="" type="checkbox"/> Chemical disinfection						
		Any other treatment equipment						
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.)						
	(iv) No of vehicles used for collection and transportation of biomedical waste							
	(v) Details of incineration ash and ETP sludge generated and disposed		Quantity generated		Where disposed			

	during the treatment of wastes in Kg per annum	Incineration Ash ETP Sludge
	(v) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Animal Health care
	(vi) List of member HCF not handed over bio-medical waste	
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	YES.
7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	4 / Four
	(ii) number of personnel trained	4
	(iii) number of personnel trained at the time of induction	4
	(iv) number of personnel not undergone any training so far	NIL
	(v) whether standard manual for training is available?	YES
	(vi) any other information	
8	Details of the accident occurred during the year	NIL
	(i) Number of Accidents occurred	
	(ii) Number of the persons affected	NIL
	(iii) Remedial Action taken (Please attach details if any)	NIL
	(iv) Any Fatality occurred, details	
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NIL
	Details of Continuous online emission monitoring systems installed	NIL
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	(STP)
11	Is the disinfection method or sterilization meeting the log 4	NIL

standards? How many times you have not met the standards in a year?	
12 Any other relevant information	(Air Pollution Control Devices attached with the incinerator)

Certified that the above report is for the period from

20/0

1st Jan - 2020 till 31st Dec

Name and Signature of the Head of the Institution

Date 27/7/21

Place Karan Bagh Jamnu

